INDEX TO AUTHORS

A

Albanese, Anthony A., Holt, L. Emmett, Jr., Irby, Virginia, and **Brumback, Joseph E., Jr.** Observations on sulfur amino acid deficiencies in rats. Chemical and morphological changes in the blood, 179

Albaum, Harry G., Novikoff, Alex B., and **Ogur, Maurice.** The development of the cytochrome oxidase and succinoxidase systems in the chick embryo, 125

Alberty, R. A. See *Deutsch, Alberty, and Gosting*, 21

Ames, Stanley R., Ziegenhagen, Anita J., and **Elvehjem, C. A.** Studies on the inhibition of enzyme systems involving cytochrome *c*, 81

Anderson, Ernest. The isolation of pectic substances from softwoods, 233

Archibald, Reginald M. Colorimetric determination of canavanine, 169

—. Determination of lipase activity, 443

—. See *Van Slyke and Archibald*, 293

Artom, Camillo, and **Cornatzer, W. E.** Action of choline and fat on the formation of phospholipides in the intestine, 393

B

Banker, Jane L., and **Schmidt, E. G.** Urinary phenols. II. Effect of diet on the phenolic bodies of the urine, 427

—and—. III. Effect of diet and phthalylsulfathiazole on the urinary phenols of the dog, 431

Baumann, C. A. See *Schweigert, Sauberlich, Elvehjem, and Baumann*, 187

Beard, Dorothy. See *Hook, Beard, Taylor, Sharp, and Beard*, 241

—. See *Sharp, Hook, Taylor, Beard, and Beard*, 259

Beard, J. W. See *Hook, Beard, Taylor, Sharp, and Beard*, 241

—. See *Sharp, Hook, Taylor, Beard, and Beard*, 259

Berman, M. See *Nachmansohn and Berman*, 551

Bischoff, Fritz. The temperature coefficient for the denaturation of chorionic and mare serum gonadotropins in aqueous and in urea solutions, 399

Bloch, Konrad. The metabolism of *l*(+)-arginine in the rat, 469

—. The metabolism of *l*(+)-arginine and synthesis of creatine in the pigeon, 477

Bodansky, Oscar. Mechanism of inhibition of phosphatase activity by glycine, 605

Bolomey, René A., and **Kemmerer, A. R.** The determination of ascorbic acid; a simplification of the Roe method, 377

Briggs, G. M. See *Groschke and Briggs*, 739

Brown, M. V. See *Nachmansohn, Coates, Rothenberg, and Brown*, 223

Brückmann, Gerhard. A method for the determination of alloxan, 103

Brumback, Joseph E., Jr. See *Albanese, Holt, Irby, and Brumback*, 179

Burk, Dean, Hearon, John, Caroline, Leona, and **Schade, Arthur L.** Reversible complexes of cobalt, histidine, and oxygen gas, 723

Burmaster, Chester F. A comparison of brain cephalin fractions, 577

—. An investigation of the α- and β-phospholipides, 565

—. The microdetermination of serine and ethanolamine in phospholipide hydrolysates, 1

Burris, R. H., and **Wilson, P. W.** Comparison of the metabolism of ammonia and molecular nitrogen in *Azotobacter*, 595

C

Caroline, Leona. See *Burk, Hearon, Caroline, and Schade,* 723

Carter, Charles E., and **Greenstein, Jesse P.** A spectrophotometric method for the determination of dehydropeptidase activity, 725

—. See *Greenstein and Carter,* 741

Cartland, George F. See *Vander Brook, Wick, DeVries, Harris, and Cartland,* 463

Chaikoff, I. L. See *Taurog and Chaikoff,* 217

Chandler, Joseph P. See *du Vigneaud, Simmonds, Chandler, and Cohn,* 639

Chanutin, Alfred, and **Gjessing, Erland C.** Electrophoretic analyses of sera of injured dogs, 421

—. See *Gjessing and Chanutin,* 413

Chargaff, Erwin, and **Magasanik, Boris.** Oxidation of stereoisomers of the inositol group by *Acetobacter suboxydans,* 379

Claude, Albert. See *Hogeboom, Claude, and Hotchkiss,* 615

Coates, C. W. See *Nachmansohn, Coates, Rothenberg, and Brown,* 223

Cohn, Mildred. See *du Vigneaud, Simmonds, Chandler, and Cohn,* 639

Cori, Carl F. The adenosinetriphosphatase activity in the presence of creatine, 395

Cornatzer, W. E. See *Artom and Cornatzer,* 393

D

Deutsch, H. F., Alberty, R. A., and **Gosting, L. J.** Biophysical studies of blood plasma proteins. IV. Separation and purification of a new globulin from normal human plasma, 21

DeVries, William H. See *Vander Brook, Wick, DeVries, Harris, and Cartland,* 463

Dietz, Albert A. Composition of normal bone marrow in rabbits, 505

Dubach, Reubenia, and **Hill, Robert M.** The effect of a sustained hypercholesterolemia on the lipides and proteins in the plasma of the rabbit, 521

DuBois, Kenneth P., and **Erway, Wilma F.** Studies on the mechanism of action of thiourea and related compounds. II. Inhibition of oxidative enzymes and oxidations catalyzed by copper, 711

E

Elvehjem, C. A. See *Ames, Ziegenhagen, and Elvehjem,* 81

—. See *Greenhut, Schweigert, and Elvehjem,* 325

—. See *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart,* 437

—. See *Riesen, Schweigert, and Elvehjem,* 347

—. See *Sarma, Snell, and Elvehjem,* 55

—. See *Schweigert, Sauberlich, Elvehjem, and Baumann,* 187

Erway, Wilma F. See *DuBois and Erway,* 711

Evenson, A. See *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart,* 437

F

Fawaz, George, and **Seraidarian, Krikor.** Phosphoglycocyamine, 97

Freed, Anna May. See *Weswig, Freed, and Haag,* 737

Friedemann, Theodore E. The excretion of neutral keto compounds after ingestion of carbohydrate-rich heat-processed foods, 729

Fruton, Joseph S. A synthesis of *l*(+)-glutamine, 333

Fugitt, Charles H. See *Steinhardt, Fugitt, and Harris,* 285

G

Gallagher, T. F. Partial synthesis of compounds related to adrenal cortical hormones. X. Preparation of 3(α),-11(α)-dihydroxyetiocholanic acid from etiodesoxycholanic acid, 211

— and **Xenos, J. R.** Partial oxidation of hyodesoxycholic acid, 365

—. See *Long, Marshall, and Gallagher,* 197

Gjessing, Erland C., and **Chanutin, Alfred.** Electrophoretic analyses of sera after treating dogs with β-chloroethyl vesicants, 413
—. See *Chanutin and Gjessing,* 421
Gosting, L. J. See *Deutsch, Alberty, and Gosting,* 21
Grant, W. Morton, and **Kinsey, V. Everett.** Factors influencing the inactivation of urease by alkylating agents, 485
— and —. Measurement of the reaction rate of bis-β-chloroethyl sulfide in aqueous media, 495
Greenberg, G. Robert, and **Wintrobe, Maxwell M.** A labile iron pool, 397
Greenhut, Irene Tatman, Schweigert, B. S., and **Elvehjem, C. A.** Hydrolysis procedures for the determination of tryptophane in proteins and foodstuffs by the microbiological procedure, 325
Greenstein, Jesse P., and **Carter, Charles E.** The influence of α-keto acids on the desamidation of amino acid amides, 741
—. See *Carter and Greenstein,* 725
Greenstein, L. M. See *Murray, Greenstein, and Sherman,* 91
Groschke, A. C., and **Briggs, G. M.** Inhibitory action of certain amino acids on chicks receiving nicotinic acid-low diets, 739
Gunsalus, I. C. See *Umbreit, Wood, and Gunsalus,* 731

H

Haag, J. R. See *Weswig, Freed, and Haag,* 737
Harris, Daniel L. Phosphoprotein phosphatase, a new enzyme from the frog egg, 541
Harris, Milton. See *Steinhardt, Fugitt, and Harris,* 285
Harris, Roberta. See *Vander Brook, Wick, DeVries, Harris, and Cartland,* 463
Hart, E. B. See *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart,* 437
Hartung, Walter H. See *Mattocks and Hartung,* 501
Heard, R. D. H., and **McKay, A. F.** Steroids. VII. The preparation of androstan-3(β)-ol-7-one from dehydroisoandrosterone, 677
— and **Sobel, H.** Steroids. VIII. A colorimetric method for the estimation of reducing steroids, 687
—, —, and **Venning, Eleanor H.** The neutral lipide-soluble reducing substances of urine as an index of adrenal cortical function, 699
Hearon, John. See *Burk, Hearon, Caroline, and Schade,* 723
Heuser, G. F. See *Scott, Hill, Norris, and Heuser,* 65
Hill, F. W. See *Scott, Hill, Norris, and Heuser,* 65
Hill, Robert M. See *Dubach and Hill,* 521
Himwich, Harold E. See *Himwich and Himwich,* 513
Himwich, Williamina A., and **Himwich, Harold E.** Pyruvic acid in exercising depancreatized dogs and diabetic patients, 513
Hogeboom, George H., Claude, Albert, and **Hotchkiss, Rollin D.** The distribution of cytochrome oxidase and succinoxidase in the cytoplasm of the mammalian liver cell, 615
Holt, L. Emmett, Jr. See *Albanese, Holt, Irby, and Brumback,* 179
Hook, A. E., Beard, Dorothy, Taylor, A. R., Sharp, D. G., and **Beard, J. W.** Isolation and characterization of the T_2 bacteriophage of *Escherichia coli,* 241
—. See *Sharp, Hook, Taylor, Beard, and Beard,* 259
Horecker, B. L., and **Kornberg, Arthur.** The cytochrome *c*-cyanide complex, 11
Horvath, S. M., and **Tebbe, D.** Phosphorus compounds in the gastrocnemius muscles of scorbutic guinea pigs, 657
Hotchkiss, Rollin D. See *Hogeboom, Claude, and Hotchkiss,* 615
Hutchings, B. L. See *Oleson, Hutchings, and Sloane,* 371

I

Irby, Virginia. See *Albanese, Holt, Irby, and Brumback,* 179

J

Jaffé, Werner G. The growth-stimulating effect of a heat-labile factor in liver extract on rats fed a natural diet, 387

K

Kaufman, Seymour. See *Vestling, Kaufman, Maxwell, and Quastler,* 385
Keller, Judith Mackey. See *Orten and Keller,* 163
Kemmerer, A. R. See *Bolomey and Kemmerer,* 377
King, Mary E. Mallory. See *Totter and King,* 391
Kinsey, V. Everett. See *Grant and Kinsey,* 485, 495
Klein, Babette V. See *Stetten and Klein,* 157
Kornberg, Arthur. See *Horecker and Kornberg,* 11

L

Lamanna, Carl. See *Putnam, Lamanna, and Sharp,* 735
Lederberg, Joshua, and **Tatum, E. L.** Detection of biochemical mutants of microorganisms, 381
Lehninger, Albert L. The oxidation of higher fatty acids in heart muscle suspensions, 131
Lewis, Howard B. See *Shen and Lewis,* 115
—. See *Wingo and Lewis,* 339
Long, William P., Marshall, Charles W., and **Gallagher, T. F.** Partial synthesis of compounds related to adrenal cortical hormones. IX. Stepwise degradation of the side chain of 3(α),11(α)-dihydroxycholanic acid, 197
Luckey, T. D. See *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart,* 437

M

MacLeod, John, and **Summerson, William H.** The phosphatase activity of human spermatozoa, 533
Magasanik, Boris. See *Chargaff and Magasanik,* 379
Marshall, Charles W. See *Long, Marshall, and Gallagher,* 197
Mason, Howard S. See *Wright and Mason,* 45
Mattocks, Albert M., and **Hartung, Walter H.** A synthesis of serine and its methyl ester, 501
Maxwell, Richard E. See *Vestling, Kaufman, Maxwell, and Quastler,* 385
McCoy, E. See *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart,* 437
McHenry, E. W. See *Sheppard and McHenry,* 649
McKay, A. F. See *Heard and McKay,* 677
Mendel, Bruno. See *Wright and Mendel,* 389
Mitchell, H. H. See *Spector and Mitchell,* 37
Moore, P. R., Evenson, A., Luckey, T. D., McCoy, E., Elvehjem, C. A., and **Hart, E. B.** Use of sulfasuxidine, streptothricin, and streptomycin in nutritional studies with the chick, 437
Murray, Anna Zmachinsky, Greenstein, L. M., and **Sherman, H. C.** Fluorometric studies of the riboflavin contents of muscle and liver, 91

N

Nachmansohn, David, and **Berman, M.** Studies on choline acetylase. III. On the preparation of the coenzyme and its effect on the enzyme, 551
—, **Coates, C. W., Rothenberg, Mortimer A.,** and **Brown, M. V.** On the energy source of the action potential in the electric organ of *Electrophorus electricus,* 223
Norris, L. C. See *Scott, Hill, Norris, and Heuser,* 65
Novikoff, Alex B. See *Albaum, Novikoff, and Ogur,* 125

O

Ogur, Maurice. See *Albaum, Novikoff, and Ogur,* 125

Okey, Ruth. Biotin and avidin intake and liver cholesterol, 383
Oleson, J. J., Hutchings, B. L., and Sloane, N. H. The effect of the synthetic pteroylglutamic acid on the feathering of chickens, 371
Orten, James M., and Keller, Judith Mackey. Dietary protein and protoporphyrin formation in the rat, 163
Oritz, P. See *Archibald*, 443

P

Potter, Van R. The assay of animal tissues for respiratory enzymes. V. The malic dehydrogenase system, 311
Putnam, Frank W., Lamanna, Carl, and Sharp, D. G. Molecular weight and homogeneity of crystalline botulinus A toxin, 735

Q

Quastler, Henry. See *Vestling, Kaufman, Maxwell, and Quastler*, 385

R

Randall, Lowell O. The inhibition of the anaerobic glycolysis of rat brain by adrenochrome, 733
Raska, Sigwin B. Studies on the effects of purines on metabolism, 743
Regna, Peter P., Wasselle, Leonard A., and Solomons, I. A. The stability of streptomycin, 631
Riesen, W. H., Schweigert, B. S., and Elvehjem, C. A. Microbiological determination of methionine in proteins and foodstuffs, 347
Roberts, Eugene, and Spiegl, Charles J. The influence of dietary protein, methionine, and cystine on accelerated vitamin C excretion in the rat, 727
Rothenberg, Mortimer A. See *Nachmansohn, Coates, Rothenberg, and Brown*, 223

S

Sarma, P. S., Snell, Esmond E., and Elvehjem, C. A. The vitamin B_6 group. VIII. Biological assay of pyridoxal, pyridoxamine, and pyridoxine, 55
Sauberlich, H. E. See *Schweigert, Sauberlich, Elvehjem, and Baumann*, 187
Schade, Arthur L. See *Burk, Hearon, Caroline, and Schade*, 723
Schmidt, E. G. See *Banker and Schmidt*, 427, 431
Schneider, Walter C. Intracellular distribution of enzymes. I. The distribution of succinic dehydrogenase, cytochrome oxidase, adenosinetriphosphatase, and phosphorus compounds in normal rat tissues, 585
Schweigert, B. S., Sauberlich, H. E., Elvehjem, C. A., and Baumann, C. A. Dietary protein and the vitamin B_6 content of mouse tissue, 187
—. See *Greenhut, Schweigert, and Elvehjem*, 325
—. See *Riesen, Schweigert, and Elvehjem*, 347
Scott, M. L., Hill, F. W., Norris, L. C., and Heuser, G. F. Chemical determination of riboflavin, 65
Seraidarian, Krikor. See *Fawaz and Seraidarian*, 97
Sharp, D. G., Hook, A. E., Taylor, A. R., Beard, Dorothy, and Beard, J. W. Sedimentation characters and pH stability of the T_2 bacteriophage of *Escherichia coli*, 259
—. See *Hook, Beard, Taylor, Sharp, and Beard*, 241
—. See *Putnam, Lamanna, and Sharp*, 735
Shen, Chao-Wen, and Lewis, Howard B. The metabolism of sulfur. XXXI. The distribution of urinary sulfur and the excretion of keto acids after the oral administration of some derivatives of cystine and methionine to the rabbit, 115
Sheppard, E. C., and McHenry, E. W. The pyridoxine content of tissues of rats fed various diets, 649
Sherman, H. C. See *Murray, Greenstein, and Sherman*, 91

Silberman, Henryk, and **Silberman-Martyncewa, Sofia.** The chromatographic separation of bile acids. I. The separation of cholic and desoxycholic acid, 359

Silberman-Martyncewa, Sofia. See *Silberman and Silberman-Martyncewa,* 359

Simmonds, Sofia. See *du Vigneaud, Simmonds, Chandler, and Cohn,* 639

Simonsen, Donald H. See *van Wagtendonk and Simonsen,* 449

Sisler, Eleanor B. See *Sumner and Sisler,* 7

Sloane, N. H. See *Oleson, Hutchings, and Sloane,* 371

Smith, Emil L. Isolation and properties of immune lactoglobulins from bovine whey, 665

Snell, Esmond E. See *Sarma, Snell, and Elvehjem,* 55

Sobel, H. See *Heard and Sobel,* 687

—. See *Heard, Sobel, and Venning,* 699

Solomons, I. A. See *Regna, Wasselle, and Solomons,* 631

Spector, Harry, and **Mitchell, H. H.** Paired feeding in the study of the counteraction by nicotinic acid and tryptophane of the growth-depressing effect of corn in rats, 37

Spiegl, Charles J. See *Roberts and Spiegl,* 727

Ställberg-Stenhagen, Stina, and **Stenhagen, Einar.** On the nature of two carboxylic acids of high molecular weight obtained from the waxes of acid-fast bacteria, 599

Steinhardt, Jacinto, Fugitt, Charles H., and **Harris, Milton.** The effect of formaldehyde on the acidic and basic properties of wool, 285

Stenhagen, Einar. See *Ställberg-Stenhagen and Stenhagen,* 599

Stetten, DeWitt, Jr., and **Klein, Babette V.** Studies in carbohydrate metabolism. VIII. The origin of the stable hydrogen in glycogen formed from various precursors, 157

— and **Stetten, Marjorie R.** Studies in carbohydrate metabolism. VII. The distribution of deuterium in a sample of deuterio glucose excreted by a diabetic rabbit, 147

Stetten, Marjorie R. See *Stetten and Stetten,* 147

Stimmel, Benjamin F. The utilization of a color correction equation with the Kober reagent for the estimation of the estrogens in human urine with low estrogen content, 73

Summerson, William H. See *MacLeod and Summerson,* 533

Sumner, James B., and **Sisler, Eleanor B.** On the activation of catalase, 7

T

Tatum, E. L. See *Lederberg and Tatum,* 381

Taurog, Alvin, and **Chaikoff, I. L.** The relation of the thyroxine content of the thyroid gland and of the level of protein-bound iodine of plasma to iodine intake, 217

Taylor, A. R. Chemical analysis of the T_2 bacteriophage and its host, *Escherichia coli* (strain B), 271

—. See *Hook, Beard, Taylor, Sharp, and Beard,* 241

—. See *Sharp, Hook, Taylor, Beard, and Beard,* 259

Tebbe, D. See *Horvath and Tebbe,* 657

Totter, John R., and **King, Mary E. Mallory.** The influence of strepogenin concentrate on the metabolism of glutamic acid by *Streptococcus faecalis,* 391

U

Umbreit, W. W., Wood, W. A., and **Gunsalus, I. C.** The activity of pyridoxal phosphate in tryptophane formation by cell-free enzyme preparations, 731

V

Vander Brook, Milton J., Wick, Arne N., DeVries, William H., Harris, Roberta, and **Cartland, George F.** Extraction and purification of streptomycin, with a note on streptothricin, 463

Van Slyke, Donald D., and **Archibald, Reginald M.** Gasometric and photometric measurement of arginase activity, 293
Venning, Eleanor H. See *Heard, Sobel, and Venning*, 699
Vestling, Carl S., Kaufman, Seymour, Maxwell, Richard E., and **Quastler, Henry.** The oxidation of octanoate by normal and leucemic mouse liver homogenates, 385
du Vigneaud, Vincent, Simmonds, Sofia, Chandler, Joseph P., and **Cohn, Mildred.** A further investigation of the rôle of betaine in transmethylation reactions *in vivo*, 639
—. See *Wood and du Vigneaud*, 95

W

van Wagtendonk, Willem J., and **Simonsen, Donald H.** A dietary factor essential for guinea pigs. IX. Tissue metabolism during the deficiency, 449
Wasselle, Leonard A. See *Regna, Wasselle, and Solomons*, 631
Weswig, P. H., Freed, Anna May, and **Haag, J. R.** Antithiamine activity of plant materials, 737
Wick, Arne N. See *Vander Brook, Wick, DeVries, Harris, and Cartland*, 463
Wilson, P. W. See *Burris and Wilson*, 595
Wingo, William J., and **Lewis, Howard B.** The metabolism of sulfur. XXXII. Isocysteine, 339
Wintrobe, Maxwell M. See *Greenberg and Wintrobe*, 397
Wood, John L., and **du Vigneaud, Vincent.** A note on the conversion *in vivo* of the S-benzyl-N-methyl derivatives of cysteine and homocysteine to the N-acetyl-S-benzyl derivatives of cysteine and homocysteine, 95
Wood, W. A. See *Umbreit, Wood, and Gunsalus*, 731
Wright, Charles I., and **Mason, Howard S.** The oxidation of catechol by tyrosinase, 45
Wright, Margaret, and **Mendel, Bruno.** A substance in incubated rat heart augmenting the cholinesterase activity of heart muscle, 389

X

Xenos, J. R. See *Gallagher and Xenos*, 365

Z

Ziegenhagen, Anita J. See *Ames, Ziegenhagen, and Elvehjem*, 81

INDEX TO SUBJECTS

A

Acetobacter suboxydans: Inositol group, stereoisomers, oxidation, effect, *Chargaff and Magasanik*, 379

Acetylase: Choline, *Nachmansohn and Berman*, 551

—, coenzyme, *Nachmansohn and Berman*, 551

—, — preparation, *Nachmansohn and Berman*, 551

Adenosinetriphosphatase: Creatine effect, *Cori*, 395

Tissue, distribution, *Schneider*, 585

Adrenal(s): Cortex function, urine lipide-soluble reducing substances as index, *Heard, Sobel, and Venning*, 699

— hormone, related compounds, synthesis, partial, *Long, Marshall, and Gallagher*, 197

Gallagher, 211

Adrenochrome: Brain glycolysis, anaerobic, effect, *Randall*, 733

Alkylating agent(s): Urease, effect, *Grant and Kinsey*, 485

Alloxan: Determination, *Brückmann*, 103

Amide(s): Amino acid, desamidation, α-keto acids, effect, *Greenstein and Carter*, 741

Amino acid(s): Amides, desamidation, α-keto acids, effect, *Greenstein and Carter*, 741

Growth, chick, nicotinic acid-low diet and, effect, *Groschke and Briggs*, 739

Sulfur, deficiencies, blood, effect, *Albanese, Holt, Irby, and Brumback*, 179

Ammonia: Nitrogen, metabolism, *Azotobacter, Burris and Wilson*, 595

Androstan-3(β)-ol-7-one: Preparation from dehydroisoandrosterone, *Heard and McKay*, 677

Androsterone: Dehydroiso-, androstan-3-(β)-ol-7-one preparation, *Heard and McKay*, 677

Arginase: Determination, gasometric and photometric, *Van Slyke and Archibald*, 293

Arginine: *l*(+)-, metabolism, pigeon, *Bloch*, 477

—, —, rat, *Bloch*, 469

Ascorbic acid: Determination, *Bolomey and Kemmerer*, 377

See also Vitamin C

Avidin: Liver cholesterol, relation, *Okey*, 383

Azotobacter: Ammonia nitrogen metabolism, *Burris and Wilson*, 595

Nitrogen, molecular, metabolism, *Burris and Wilson*, 595

B

Bacteria: Acid-fast, waxes, carboxylic acids, nature, *Ställberg-Stenhagen and Stenhagen*, 599

See also Acetobacter, Escherichia, Streptococcus

Bacteriophage: T_2, *Escherichia coli*, chemistry, *Taylor*, 271

—, — —, isolation and characterization, *Hook, Beard, Taylor, Sharp, and Beard*, 241

—, — —, sedimentation characters and hydrogen ion concentration stability, *Sharp, Hook, Taylor, Beard, and Beard*, 259

Betaine: Transmethylation *in vivo*, rôle, *du Vigneaud, Simmonds, Chandler, and Cohn*, 639

Bile acid(s): Chromatographic separation, *Silberman and Silberman-Martyncewa*, 359

Biotin: Liver cholesterol, relation, *Okey*, 383

Blood: Sulfur amino acid deficiencies, effect, *Albanese, Holt, Irby, and Brumback*, 179

Blood plasma: Globulin, separation and purification, *Deutsch, Alberty, and Gosting*, 21
Iodine, iodine intake, relation, *Taurog and Chaikoff*, 217
Lipides, hypercholesterolemia effect, *Dubach and Hill*, 521
Proteins, biophysical studies, *Deutsch, Alberty, and Gosting*, 21
—, hypercholesterolemia effect, *Dubach and Hill*, 521
Blood serum: β-Chloroethyl vesicants, effect, *Gjessing and Chanutin*, 413
Gonadotropins, denaturation temperature coefficient, *Bischoff*, 399
Injury effect, *Chanutin and Gjessing*, 421
Bone: Marrow, composition, *Dietz*, 505
Botulinus: A, toxin, crystalline, molecular weight and homogeneity, *Putnam, Lamanna, and Sharp*, 735
Brain: Cephalins, comparison, *Burmaster*, 577
Glycolysis, anaerobic, adrenochrome effect, *Randall*, 733

C

Canavanine: Determination, colorimetric, *Archibald*, 169
Carbohydrate(s): Metabolism, *Stetten and Stetten*, 147
Stetten and Klein, 157
-Rich foods, keto compounds, excretion, effect, *Friedemann*, 729
Carboxylic acid(s): Waxes, acid-fast bacteria, nature, *Ställberg-Stenhagen and Stenhagen*, 599
Catalase: Activation, *Sumner and Sisler*, 7
Catechol: Oxidation by tyrosinase, *Wright and Mason*, 45
Cephalin(s): Brain, comparison, *Burmaster*, 577
Chick: Growth, nicotinic acid-low diet, amino acid effect, *Groschke and Briggs*, 739
Nutrition, sulfasuxidine, streptothricin, and streptomycin, use in study, *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart*, 437
Chloroethyl: β-, vesicants, blood serum, effect, *Gjessing and Chanutin*, 413
Chloroethyl sulfide: Bis-β-, reaction rate measurement, *Grant and Kinsey*, 495
Cholanic acid: 3(α),11(α)-Dihydroxy-, degradation, *Long, Marshall, and Gallagher*, 197
3(α),11(α) - Dihydroxyetio-, preparation from etiodesoxycholic acid, *Gallagher*, 211
Cholesterol: Liver, biotin and avidin intake, relation, *Okey*, 383
See also Hypercholesterolemia
Cholic acid: Desoxy-, acid and, separation, chromatographic, *Silberman and Silberman-Martyncewa*, 359
Desoxycholic acid and, separation, chromatographic, *Silberman and Silberman-Martyncewa*, 359
Etiodesoxy-, 3(α),11(α)-dihydroxyetiocholanic acid preparation, *Gallagher*, 211
Hyodesoxy-, oxidation, partial, *Gallagher and Xenos*, 365
Choline: Acetylase, *Nachmansohn and Berman*, 551
— coenzyme, *Nachmansohn and Berman*, 551
— — preparation, *Nachmansohn and Berman*, 551
Intestine phospholipides, effect, *Artom and Cornatzer*, 393
Cholinesterase: Heart, *Wright and Mendel*, 389
Chorion: Gonadotropins, denaturation temperature coefficient, *Bischoff*, 399
Cobalt: Reversible complexes, *Burk, Hearon, Caroline, and Schade*, 723
Copper: -Catalyzed oxidations, inhibition, *DuBois and Erway*, 711
Corn: Growth effect, *Spector and Mitchell*, 37
Creatine: Adenosinetriphosphatase activity, effect, *Cori*, 395
Synthesis, pigeon, *Bloch*, 477
Cyanide: Cytochrome *c*-, complex, *Horecker and Kornberg*, 11
Cysteine: S-Benzyl-N-methyl derivatives, conversion to N-acetyl-S-

Cysteine—*continued:*
benzyl derivatives, *Wood and du Vigneaud*, 95
Homo-. *See* Homocysteine
Iso-, metabolism, *Wingo and Lewis*, 339
Cystine: Derivatives, urine keto acids, administration effect, *Shen and Lewis*, 115
—, —, sulfur distribution, administration effect, *Shen and Lewis*, 115
Vitamin C excretion, effect, *Roberts and Spiegl*, 727
Cytochrome: *c*-cyanide complex, *Horecker and Kornberg*, 11
c-enzyme systems, inhibition, *Ames, Ziegenhagen, and Elvehjem*, 81
Oxidase, liver cytoplasm, distribution, *Hogeboom, Claude, and Hotchkiss*, 615
—, system, embryo, chick, *Albaum, Novikoff, and Ogur*, 125
—, tissue, distribution, *Schneider*, 585

D

Dehydrogenase: Malic, system, determination, *Potter*, 311
Succinic, tissue, distribution, *Schneider*, 585
Dehydroisoandrosterone: Androstan-3-(β)-ol-7-one preparation from, *Heard and McKay*, 677
Dehydropeptidase: Determination, spectrophotometric, *Carter and Greenstein*, 725
Desoxycholic acid: Cholic acid and, separation, chromatographic, *Silberman and Silberman-Martyncewa*, 359
Deuterium: Glucose excretion, diabetes, study with, *Stetten and Stetten*, 147
Diabetes: Glucose excretion, deuterium in study, *Stetten and Stetten*, 147
Pyruvic acid, exercise effect, *Himwich and Himwich*, 513
Diet: Guinea pig, essential factor, *van Wagtendonk and Simonsen*, 449
— —, — —, tissue metabolism, deficiency effect, *van Wagtendonk and Simonsen*, 449
Diet—*continued:*
Tissue pyridoxine, effect, *Sheppard and McHenry*, 649
Urine phenols, effect, *Banker and Schmidt*, 427, 431
Dihydroxycholanic acid: 3(α),11(α)-, degradation, *Long, Marshall, and Gallagher*, 197
Dihydroxyetiocholanic acid: 3(α),11(α)-, preparation from etiodesoxycholic acid, *Gallagher*, 211

E

Egg: Frog, phosphoprotein phosphatase, *Harris*, 541
Electric organ: *Electrophorus electricus*, action potential energy source, *Nachmansohn, Coates, Rothenberg, and Brown*, 223
Electrophorus electricus: Electric organ, action potential energy source, *Nachmansohn, Coates, Rothenberg, and Brown*, 223
Embryo: Chick, cytochrome oxidase and succinoxidase systems, *Albaum, Novikoff, and Ogur*, 125
Enzyme(s): -Cytochrome *c* systems, inhibition, *Ames, Ziegenhagen, and Elvehjem*, 81
Intracellular distribution, *Schneider*, 585
Oxidative, inhibition, *DuBois and Erway*, 711
Respiratory, tissue, determination, *Potter*, 311
See also Acetylase, Adenosinetriphosphatase, Arginase, Catalase, Cholinesterase, Dehydrogenase, Dehydropeptidase, Lipase, Oxidase, Phosphatase, Succinoxidase, Tyrosinase, Urease
Escherichia coli: Bacteriophage T_2, chemistry, *Taylor*, 271
— —, isolation and characterization, *Hook, Beard, Taylor, Sharp, and Beard*, 241
— —, sedimentation characters and hydrogen ion concentration stability, *Sharp, Hook, Taylor, Beard, and Beard*, 259
Chemistry, *Taylor*, 271

Esterase: Choline. *See* Cholinesterase
Estrogen(s): Urine, determination, color correction equation, *Stimmel*, 73
Ethanolamine: Phospholipide hydrolysates, determination, micro-, *Burmaster*, 1
Etiodesoxycholic acid: 3(α),11(α)-Dihydroxyetiocholanic acid preparation, *Gallagher*, 211
Exercise: Pyruvic acid, pancreatectomy and diabetes, effect, *Himwich and Himwich*, 513

F

Fat(s): Intestine phospholipides, effect, *Artom and Cornatzer*, 393.
Fatty acid(s): Higher, oxidation, heart muscle suspensions, *Lehninger*, 131
Feathering: Pteroylglutamic acid, synthetic, effect, *Oleson, Hutchings, and Sloane*, 371
Folic acid: *See also* Pteroylglutamic acid
Foodstuff(s): Methionine determination, microbiological, *Riesen, Schweigert, and Elvehjem*, 347
Tryptophane determination, microbiological, *Greenhut, Schweigert, and Elvehjem*, 325
Formaldehyde: Wool, acid and base properties, effect, *Steinhardt, Fugitt, and Harris*, 285
Frog: Egg, phosphoprotein phosphatase, *Harris*, 541

G

Globulin(s): Blood plasma, separation and purification, *Deutsch, Alberty, and Gosting*, 21
Lacto-, immune, whey, isolation and properties, *Smith*, 665
Glucose: Excretion, diabetes, deuterium in study, *Stetten and Stetten*, 147
Glutamic acid: Metabolism by *Streptococcus faecalis*, strepogenin effect, *Totter and King*, 391
Pteroyl-, synthetic, feathering, effect, *Oleson, Hutchings, and Sloane*, 371
Glutamine: *l*(+)-, synthesis, *Fruton*, 333
Glycine: Phosphatase inactivation, mechanism, *Bodansky*, 605
Glycocyamine: Phospho-, *Fawaz and Seraidarian*, 97
Glycogen: Hydrogen, stable, origin, *Stetten and Klein*, 157
Glycolysis: Anaerobic, brain, adrenochrome effect, *Randall*, 733
Gonadotropin(s): Chorionic and blood serum, denaturation temperature coefficient, *Bischoff*, 399
Growth: Chick, nicotinic acid-low diet, amino acid effect, *Groschke and Briggs*, 739
Corn, nicotinic acid, and tryptohane effect, *Spector and Mitchell*, 37
Liver factor, heat-labile, effect, *Jaffé*, 387
Guinea pig: Diet essential, *van Wagtendonk and Simonsen*, 449
— —, deficiency, tissue metabolism, effect, *van Wagtendonk and Simonsen*, 449

H

Heart: Cholinesterase, *Wright and Mendel*, 389
Suspensions, fatty acids, higher, oxidation, *Lehninger*, 131
See also Muscle
Histidine: Reversible complexes, *Burk, Hearon, Caroline, and Schade*, 723
Homocysteine: S-Benzyl-N-methyl derivatives, conversion to N-acetyl-S-benzyl derivatives, *Wood and du Vigneaud*, 95
Hydrogen: Stable, glycogen, origin, *Stetten and Klein*, 157
Hyodesoxycholic acid: Oxidation, partial, *Gallagher and Xenos*, 365
Hypercholesterolemia: Blood plasma lipides and proteins, effect, *Dubach and Hill*, 521

I

Injury: Blood serum, effect, *Chanutin and Gjessing*, 421
Inositol: Group, stereoisomers, oxidation, *Acetobacter suboxydans*, effect, *Chargaff and Magasanik*, 379

Intestine: Phospholipides, choline and fat effect, *Artom and Cornatzer,* 393
Iodine: Blood plasma, iodine intake relation, *Taurog and Chaikoff,* 217
Thyroid thyroxine, intake relation, *Taurog and Chaikoff,* 217
Iron: Labile, pool, *Greenberg and Wintrobe,* 397
Isocysteine: Metabolism, *Wingo and Lewis,* 339

K

Keto acid(s): α-, amino acid amides, desamidation, effect, *Greenstein and Carter,* 741
Urine, cystine and methionine derivatives, administration effect, *Shen and Lewis,* 115
Keto compound(s): Excretion, carbohydrate-rich heat-processed foods, effect, *Friedemann,* 729

L

Lactoglobulin(s): Immune, whey, isolation and properties, *Smith,* 665
Leucemia: Octanoate oxidation, liver homogenates, *Vestling, Kaufman, Maxwell, and Quastler,* 385
Lipase: Determination, *Archibald,* 443
Lipide(s): Blood plasma, hypercholesterolemia effect, *Dubach and Hill,* 521
Phospho-. *See* Phospholipide
-Soluble reducing substances, urine, adrenal cortical function, relation, *Heard, Sobel, and Venning,* 699
Liver: Cholesterol, biotin and avidin intake, relation, *Okey,* 383
Cytoplasm, cytochrome oxidase and succinoxidase distribution, *Hogeboom, Claude, and Hotchkiss,* 615
Extract, factor, heat-labile, growth effect, *Jaffé,* 387
Homogenates, normal and leucemic, octanoate oxidation, *Vestling, Kaufman, Maxwell, and Quastler,* 385
Riboflavin, *Murray, Greenstein, and Sherman,* 91

M

Malic dehydrogenase: System, determination, *Potter,* 311
Metabolism: Purine effect, *Raska,* 743
Tissue, diet essential, guinea pig, deficiency, effect, *van Wagtendonk and Simonsen,* 449
Methionine: Derivatives, urine keto acids, administration effect, *Shen and Lewis,* 115
—, — sulfur distribution, administration, effect, *Shen and Lewis,* 115
Foodstuffs, determination, microbiological, *Riesen, Schweigert, and Elvehjem,* 347
Proteins, determination, microbiological, *Riesen, Schweigert, and Elvehjem,* 347
Vitamin C excretion, effect, *Roberts and Spiegl,* 727
Microorganism(s): Biochemical mutants, *Lederberg and Tatum,* 381
Muscle: Gastrocnemius, phosphorus compounds, scurvy effect, *Horvath and Tebbe,* 657
Riboflavin, *Murray, Greenstein, and Sherman,* 91
See also Heart
Mutant(s): Biochemical, microorganisms, *Lederberg and Tatum,* 381

N

Nicotinic acid: Growth, corn and, effect, *Spector and Mitchell,* 37
-Low diet, chick growth, amino acids and, effect, *Groschke and Briggs,* 739
Nitrogen: Ammonia, metabolism, *Azotobacter, Burris and Wilson,* 595
Molecular, metabolism, *Azotobacter, Burris and Wilson,* 595
Nutrition: Chick, sulfasuxidine, streptothricin, and streptomycin, use in study, *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart,* 437

O

Octanoate: Oxidation, liver homogenates, normal and leucemic, *Vestling, Kaufman, Maxwell, and Quastler,* 385

Oxidase: Cytochrome, liver cytoplasm, distribution, *Hogeboom, Claude, and Hotchkiss,* 615
—, system, embryo, chick, *Albaum, Novikoff, and Ogur,* 125
—, tissue, distribution, *Schneider,* 585
Succin-, liver cytoplasm, distribution, *Hogeboom, Claude, and Hotchkiss,* 615
—, system, embryo, chick, *Albaum, Novikoff, and Ogur,* 125
Oxidation: Copper-catalyzed, inhibition, *DuBois and Erway,* 711
Oxygen: Gas, reversible complexes, *Burk, Hearon, Caroline, and Schade,* 723

P

Pancreatectomy: Pyruvic acid, exercise effect, *Himwich and Himwich,* 513
Pectic substance(s): Softwoods, isolation, *Anderson,* 233
Peptidase: Dehydro-, determination, spectrophotometric, *Carter and Greenstein,* 725
Phenol(s): Urine, *Banker and Schmidt,* 427, 431
—, diet effect, *Banker and Schmidt,* 427, 431
—, phthalylsulfathiazole effect, *Banker and Schmidt,* 431
Phosphatase: Adenosinetri-, creatine effect, *Cori,* 395
—, tissue, distribution, *Schneider,* 585
Glycine effect, mechanism, *Bodansky,* 605
Phosphoprotein, frog egg, *Harris,* 541
Spermatozoa, *MacLeod and Summerson,* 533
Phosphoglycocyamine: *Fawaz and Seraidarian,* 97
Phospholipide(s): α- and β-, *Burmaster,* 565
Hydrolysates, serine and ethanolamine determination, micro-, *Burmaster,* 1
Intestine, choline and fat effect, *Artom and Cornatzer,* 393
Phosphoprotein: Phosphatase, frog egg, *Harris,* 541
Phosphorus: Compounds, scurvy, gastrocnemius muscle, *Horvath and Tebbe,* 657
—, tissue, distribution, *Schneider,* 585
Phthalylsulfathiazole: Urine phenols, effect, *Banker and Schmidt,* 431
Plant: Material, antithiamine activity, *Weswig, Freed, and Haag,* 737
Porphyrin: Proto-, dietary protein effect, *Orten and Keller,* 163
Protein(s): Blood plasma, biophysical studies, *Deutsch, Alberty, and Gosting,* 21
— —, hypercholesterolemia effect, *Dubach and Hill,* 521
Methionine determination, microbiological, *Riesen, Schweigert, and Elvehjem,* 347
Phospho-, phosphatase, frog egg, *Harris,* 541
Protoporphyrin formation, effect, *Orten and Keller,* 163
Tissue vitamin B_6, relation, *Schweigert, Sauberlich, Elvehjem, and Baumann,* 187
Tryptophane determination, microbiological, *Greenhut, Schweigert, and Elvehjem,* 325
Vitamin C excretion, effect, *Roberts and Spiegl,* 727
Protoporphyrin: Formation, dietary protein effect, *Orten and Keller,* 163
Pteroylglutamic acid: Synthetic, feathering, effect, *Oleson, Hutchings, and Sloane,* 371
Purine(s): Metabolism effect, *Raska,* 743
Pyridoxal: Determination, biological, *Sarma, Snell, and Elvehjem,* 55
Phosphate, tryptophane formation, relation, *Umbreit, Wood, and Gunsalus,* 731
Pyridoxamine: Determination, biological, *Sarma, Snell, and Elvehjem,* 55
Pyridoxine: Determination, biological, *Sarma, Snell, and Elvehjem,* 55
Tissue, diet effect, *Sheppard and McHenry,* 649
See also Vitamin B_6

Pyruvic acid: Diabetes, exercise effect, *Himwich and Himwich*, 513
Pancreatectomy, exercise effect, *Himwich and Himwich*, 513

R

Reducing substance(s): Urine, lipide-soluble, adrenal cortex function, as index, *Heard, Sobel, and Venning*, 699
Respiratory enzyme(s): Tissue, determination, *Potter*, 311
Riboflavin: Determination, chemical, *Scott, Hill, Norris, and Heuser*, 65
Liver, *Murray, Greenstein, and Sherman*, 91
Muscle, *Murray, Greenstein, and Sherman*, 91

S

Scurvy: Phosphorus compounds, gastrocnemius muscle, effect, *Horvath and Tebbe*, 657
Serine: Methyl ester, synthesis, *Mattocks and Hartung*, 501
Phospholipide hydrolysates, determination, micro-, *Burmaster*, 1
Synthesis, *Mattocks and Hartung*, 501
Softwood: Pectic substances, isolation, *Anderson*, 233
Spermatozoa: Phosphatase, *MacLeod and Summerson*, 533
Steroid(s): *Heard and McKay*, 677
Heard and Sobel, 687
Reducing, determination, colorimetric, *Heard and Sobel*, 687
Strepogenin: Glutamic acid metabolism by *Streptococcus faecalis*, effect, *Totter and King*, 391
Streptococcus faecalis: Glutamic acid metabolism, strepogenin effect, *Totter and King*, 391
Streptomycin: Chick nutrition, study with, *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart*, 437
Extraction and purification, *Vander Brook, Wick, DeVries, Harris, and Cartland*, 463
Streptomycin—*continued:*
Stability, *Regna, Wasselle, and Solomons*, 631
Streptothricin: Chick nutrition, study with, *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart*, 437
Extraction and purification, *Vander Brook, Wick, DeVries, Harris, and Cartland*, 463
Succinic dehydrogenase: Tissue, distribution, *Schneider*, 585
Succinoxidase: Liver cytoplasm, distribution, *Hogeboom, Claude, and Hotchkiss*, 605
System, embryo, chick, *Albaum, Novikoff, and Ogur*, 125
Sulfasuxidine: Chick nutrition, study with, *Moore, Evenson, Luckey, McCoy, Elvehjem, and Hart*, 437
Sulfathiazole: Phthalyl-, urine phenols, effect, *Banker and Schmidt*, 431
Sulfur: Amino acids, deficiencies, blood, effect, *Albanese, Holt, Irby, and Brumback*, 179
Metabolism, *Shen and Lewis*, 115
Wingo and Lewis, 339
Urine, distribution, cystine and methionine derivatives, administration effect, *Shen and Lewis*, 115

T

Thiamine: Anti-, plant material, *Weswig, Freed, and Haag*, 737
Thiourea: Action, mechanism, *DuBois and Erway*, 711
Related compounds and, mechanism, *DuBois and Erway*, 711
Thyroid: Thyroxine, iodine intake, relation, *Taurog and Chaikoff*, 217
Thyroxine: Thyroid, iodine intake, relation, *Taurog and Chaikoff*, 217
Tissue(s): Metabolism, diet essential, guinea pig, deficiency, effect, *van Wagtendonk and Simonsen*, 449
Toxin: Botulinus A, crystalline, molecular weight and homogeneity, *Putnam, Lamanna, and Sharp*, 735
Tryptophane: Foodstuffs, determination, microbiological, *Greenhut, Schweigert, and Elvehjem*, 325

Tryptophane—*continued:*
Formation, pyridoxal phosphate relation, *Umbreit, Wood, and Gunsalus,* 731
Growth, corn and, effect, *Spector and Mitchell,* 37
Proteins, determination, microbiological, *Greenhut, Schweigert, and Elvehjem,* 325
Tyrosinase: Catechol oxidation, *Wright and Mason,* 45

U

Urease: Alkylating agents, effect, *Grant and Kinsey,* 485
Urine: Estrogens, determination, color correction equation, *Stimmel,* 73
Keto acid excretion, cystine and methionine derivatives, administration effect, *Shen and Lewis,* 115
Lipide-soluble reducing substances, adrenal cortical function, relation, *Heard, Sobel, and Venning,* 699
Phenols, *Banker and Schmidt,* 427, 431
—, diet effect, *Banker and Schmidt,* 427, 431
—, phthalylsulfathiazole effect, *Banker and Schmidt,* 431
Urine—*continued:*
Sulfur distribution, cystine and methionine derivatives, administration effect, *Shen and Lewis,* 115

V

Vesicant(s): β-Chloroethyl, blood serum, effect, *Gjessing and Chanutin,* 413
Vitamin(s): B_1. *See also* Thiamine
B_6, *Sarma, Snell, and Elvehjem,* 55
—, tissue, dietary protein, relation, *Schweigert, Sauberlich, Elvehjem, and Baumann,* 187
—. *See also* Pyridoxine
C excretion, cystine effect, *Roberts and Spiegl,* 727
— —, methionine effect, *Roberts and Spiegl,* 727
— —, protein effect, *Roberts and Spiegl,* 727
—. *See also* Ascorbic acid
H. *See also* Biotin

W

Wax(es): Bacteria, acid-fast, carboxylic acids, nature, *Ställberg-Stenhagen and Stenhagen,* 599
Whey: Lactoglobulins, immune, isolation and properties, *Smith,* 665
Wool: Formaldehyde effect, *Steinhardt, Fugitt, and Harris,* 285
Work: *See also* Exercise